



In-House Quality Testing Facilities

Each and every step of manufacturing at **Aktion** follows adherence to strict quality parameters and focus lies on quality throughout the various stages involved. All raw as well as semi finished goods at **Aktion** also pass through stringent quality norms.

The final product at **Aktion** is then tested to fulfill the requirements which are set much above EN norms and ISI standards .



SHOE TESTING ▶



▼ HELMET TESTING ▶



FALL PROTECTION TESTING ▶



CHEMICAL ANALYSIS ▲

An ISO 9001: 2015 Certified Company



Aktion is an ISO 9001: 2015 certified company and 1st **CE** Certified Company in the field of Road Safety Products and Lock Out Tag Out devices in India.

Aktion is committed to meeting customer requirements and increasing customer satisfaction through continuous improvement of its products, services, and the Quality Management System. The quality assurance team ascertains that each process and product undergoes stringent quality checks.

We also adhere by all applicable and obligatory standards of the industry. Commitment to quality, consistency and providing best quality products to customers is our goal.



Category	Norms
IS 2925 : 1984	Industrial Safety Helmets
IS 15298 (Part-2) : 2016	Safety Shoes
IS 3521: 1999	Full Body Harness
EN - 20345 : 2004	Safety Shoes & Gum Boots
EN - 361 : 2002	Full Body Harness
EN - 354 : 2010	Lanyards
EN - 355 : 2002	Energy Absorbers
EN - 362: 2004	Connectors
EN - 353 - 2 : 2002	Rope Grab Fall Arrester
EN - 471	Reflective Jackets
EN - 12899-1-2007	Safety Traffic Cones, Spring Posts & Delineators
EN ISO 12100-2010, EN ISO 13489-1 / EN 954-1, EN 13319-2000	Gate Valve Lockout Devices, Valve Lockout Devices, ULD Lockout Devices, Cable Lockout Devices, Electrical Panel Lockout Devices, MCB Lockout Devices, Safety HASP Lockout Devices, Electrical Plug & Pneumatic Lockout Devices, Safety Lockout Pad Locks, Lockout Stations
IS 15683 : 2006	Fire Extinguishers





IS 2925 : 1984



SAFETY HELMET

Aktion Safety Helmet



AKH-01



NapeType

AKH-02




Ratchet Type

The Unique Features of Aktion Safety Helmets

- | Penetration Test | Water Absorption | Shock Absorption | Electrical Resistance | Flammability Resistance
- | Heat Resistance Nape Type | 4 points tectonic harness | Flexible comfort chin strap
- | Aktion Safety Helmet with Nape strap an IS 2925 : 1984 Certified

COLOUR SHADES OF AKTION SAFETY HELMETS



Aktion Reflective Safety Jackets are used by person working in sensitive and dangerous areas. Police and Security persons use to segregate themselves from a common man. Besides these are also used to create a Corporate Image. These safety jackets increase the visibility of individual at night and poor light conditions. These are available in various fluorescent Orange/Green/Yellow Colour fabric using reflective tapes/micro prismatic PVC tape (EN-471 standard). These jackets can also be custom made as per customers requirement in respect of type of colour of fabric, reflective materials, Velcro or Chain for locking. Logos at front or Back (Printed or Reflective).

Reflective Jackets | Band | Gloves



AK 601



AK 602



AK 603



AK 604



AK 605



AK 606



AK 608



AK 631



AK 632



AK 633



AK 634



AK 635



AK 613



AK 614



AK 615



AK 616

Workwear Cotton Coverall

Body protection coverall is 100% cotton fabric closely knitted to ensure maximum heat dissipation and comfort.

2 patch type pockets on the chest with covering flaps, 2 side pockets & 2 patch type back pockets with covering flaps and trouser to prevent entering of any type of splash and a pen pocket on the left. Prismatic type reflective tapes on arms, legs back and extended till Chest pockets, Zipper, Tape and Velcro.



Model No.	Size	Thickness (GSM)
AK-BSC180S	Small	180 GSM
AK-BSC180M	Medium	180 GSM
AK-BSC180L	Large	180 GSM
AK-BSC180XL	XL	180 GSM
AK-BSC210-240S	Small	210-240 GSM
AK-BSC210-240M	Medium	210-240 GSM
AK-BSC210-240L	Large	210-240 GSM
AK-BSC210-240XL	XL	210-240 GSM
AK-BSC340S	Small	340 GSM
AK-BSC340M	Medium	340 GSM
AK-BSC340L	Large	340 GSM
AK-BSC340XL	XL	340 GSM

* All the accessories like reflection tapes, extra pockets, logo and other changes can be customised.

Features of Aktion Safety Shoes



► Symbols for Safety Shoe Features ◀



Protected Area	Type of Protection	Code
Steel Toe	Basic Impact 200 joules including compression 15,000 newtons	SB
	200 joule toecap protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region.	S1
	200 joule toecap protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region. Water penetration and water absorption resistance.	S2
	200 joule toecap protection. Closed seat region (fully enclosed heel). Antistatic properties. Energy absorption of seat region. Water penetration and water absorption resistance. Sole penetration resistance. Cleated outsole.	S3
Additional protections	Outsole resistance to hot contact: up to 300 °C	HRO
	Penetration resistance offered by a steel midsole: 1100 newtons	P
	Heel energy absorption: 20 joules	E
	Water penetration-resistant uppers	WRU
Electrical resistance	Conductive: Maximum resistance 100 kΩ	O
	Antistatic: Range of 100 kΩ to 1000 MΩ	A
Hostile environments	Insulation against cold	CI
	Insulation against heat	HI



IS: 15298 (Part-2)



Product Code: SA-1501

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather (corrected grain) having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight hexagon shape brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR: Black

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1502

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather having padded tongue

LINING : Black colour spacer lining with foam for comfort

EYELETS : Light weight hexagon shape brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR: Black & Brown

SIZES : 5 to 11



 
 IS: 15298 (Part-2)



Product Code: SA-1503

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather and fabric cloth with padded tongue

LINING : Black colour spacer lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR : Black

SIZES : 5 to 11



 
 IS: 15298 (Part-2)



Product Code: SA-1504

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather and fabric cloth with padded tongue

LINING : Black colour spacer lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

STANDARD : IS: 15298 (Part-2):2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-1201

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable genuine (suede) leather and having high glow reflectors at quarters for better visibility in dark

LINING : High sweat absorbing tetron fabric lining with foam for comfort

EYELETS : Light weight hexagon shape brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Grey

SIZES : 5 to 11



Product Code: SA-1202

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight hexagon shape brass eyelets on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Grey

SIZES : 5 to 11



IS: 15298 (Part-2) **CE**



Product Code: SA-1203

UPPER : **SAFER** sportsy safety shoe made up from genuine leather with padded tongue. Equipped with textile loops for fastening

LINING : High sweat absorbing spacer fabric lining with foam for comfort

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Multicolour

SIZES : 5 to 11



IS: 15298 (Part-2) **CE**



Product Code: SA-1204

UPPER : **SAFER** safety shoe made up for breathable genuine leather with padded tongue having stitching with grey colour bonded thread

LINING : Black colour spacer 3D fabric lining with foam for comfort

EYELETS : Light weight metallic strong D-Rings on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-1206

UPPER : SAFER high ankle safety shoe made up from breathable genuine leather with padded tongue having stitching with Yellow colour bonded thread

LINING : Equipped with Yellow colour tetron fabric with foam for comfort

EYELETS : Light weight brass D-Rings on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Grey

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1208

UPPER : SAFER safety shoe made up from breathable genuine leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)





IS: 15298 (Part-2)



Product Code: SA-1210

UPPER : **SAFER** low ankle safety shoes made up from genuine breathable leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Grey

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1211

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1217

UPPER : SAFER safety shoe made up from breathable genuine leather with padded tongue having high glow reflectors at quarters for better visibility in dark

LINING : High sweat absorbing 3D fabric lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1218

UPPER : SAFER high ankle safety shoe made up from breathable genuine leather with padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-1219

UPPER : **SAFER** high ankle safety shoe made from breathable genuine leather and fabric cloth with padded tongue. Equipped with textile loops for fastening

LINING : High sweat absorbing tetron fabric lining with foam for comfort

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Brown

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1601

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : PU+ Nitrile Rubber. Slip, Heat, Oil & Acid Resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Anti-Static

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)





IS: 15298 (Part-2)



Product Code: SA-1701

UPPER : **SAFER** low ankle safety shoes made up from breathable leather having padded tongue

LINING : Black colour Cmbrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad Composite toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1702

UPPER : **SAFER** low ankle safety shoe made up from genuine breathable leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Double density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad composite toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible steel mid-plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Grey

SIZES : 5 to 11



Product Code: SA-1101

UPPER : **SAFER** high ankle safety shoes made up from genuine breathable leather having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight D-rings on both faces for fastening laces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1102

UPPER : **SAFER** Safer safety shoe made up from breathable genuine leather Safer having padded tongue for Executive Class

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad ISI steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)





Product Code: SA-1103

UPPER: SAFER safety shoe made up from breathable genuine leather having padded tongue

LINING: Black colour Cambrilla lining with foam for comfort

EYELETS: Light weight brass eyelets on both faces

SOLE: Single density PU. Slip, Oil & Acid Resistant
Optional: Anti-Static

TOE: Broad Steel toe cap

INSOLE: Anti fungal, Anti bacterial, Anti-Odour
Optional: Flexible Steel Mid Plate

STANDARD: IS: 15298 (Part-2): 2016

COLOUR: Black

SIZES: 5 to 11



Product Code: SA-1105

UPPER: SAFER safety shoe made up from breathable genuine leather with padded tongue

LINING: Black colour spacer lining with foam for comfort

EYELETS: Light weight hexagon shape brass eyelets on both faces

SOLE: Single density PU. Slip, Oil & Acid Resistant
Optional: Anti-Static

TOE: Broad Steel toe cap

INSOLE: Anti fungal, Anti bacterial, Anti-odour
Optional: Flexible Steel Mid Plate

STANDARD: IS: 15298 (Part-2): 2016

COLOUR: Black

SIZES: 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1118

UPPER : **SAFER** safety shoe made from breathable genuine leather, stitched with Yellow colour bonded thread having padded tongue. High glow reflectors on quarter for better visibility in dark. Equipped with textile loops for fastening

LINING : Black colour cambrilla lining with foam for comfort

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR: Brown

SIZES : 5 to 11



IS: 15298 (Part-2)



Product Code: SA-1119

UPPER : **SAFER** safety shoe made from breathable genuine (Suede) leather with padded tongue having high glow reflector on quarter for better visibility in dark. Equipped with textile loops

LINING : High sweat absorbing tetron fabric lining with foam for comfort

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR: Grey & Orange

SIZES : 5 to 11



Product Code: SA-201

UPPER : SAFER safety shoe made up from breathable genuine leather with padded tongue

LINING : High sweat absorbing cambrilla lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible Steel Mid Plate

STANDARD : IS:15298 (Part-2) :2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-202

UPPER : SAFER safety shoe made from breathable genuine leather with Safer padded tongue and having high glow reflector at counter for better visibility in dark

LINING : High sweat absorbing cambrilla lining with foam for comfort

EYELETS : Light weight metallic strong D-Rings on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2) :2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-203

UPPER : **SAFER** safety shoes made up from breathable genuine leather with padded tongue and having fabric collar

LINING : Attractive Grey colour spacer lining, 3D fabric

EYELETS : Light weight metallic strong D-Rings on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE: Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR: Black & Grey

SIZES: 5 to 11



Product Code: SA-209

UPPER : **SAFER** safety shoe made up from breathable genuine leather with padded tongue having smart stitching with Grey colour bonded thread

LINING : Grey colour cambrilla lining with foam for comfort

EYELETS : Light weight metallic strong D-Rings on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE: Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR: Black & Grey

SIZES: 5 to 11





Product Code: SA-101

UPPER : **SAFER** safety shoe made up from breathable genuine leather having smart stitching with Brown colour bonded thread

LINING : Attractive brown colour cambrilla lining with foam for comfort

EYELETS : Light weight aluminium eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR : Black & Brown

SIZES : 5 to 11



Product Code: SA-901

UPPER : **SAFER** safety shoe made up from breathable genuine leather stitched with Orange colour bonded thread

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight metallic eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2) :2016

COLOUR : Black

SIZES : 5 to 11



Product Code: AK-RED-PU

UPPER : Low ankle safety shoe made up from breathable genuine leather with padded tongue

LINING : High sweat absorbing lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-604

UPPER : **SAFER** low ankle safety shoe made up from breathable genuine leather with padded tongue

LINING : High sweat absorbing cambrilla lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black

SIZES : 5 to 11



IS: 15298 (Part-2)





Product Code: SA-801

UPPER : SAFER low ankle safety shoe made up from breathable genuine leather with padded tongue

LINING : High sweat absorbing cambrilla lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid resistant

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-802

UPPER : SAFER low ankle safety shoe made up from breathable genuine leather with padded tongue

LINING : High sweat absorbing cambrilla lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid Resistant

TOE : Broad composite toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2):2016

COLOUR : Black

SIZES : 5 to 11



Product Code: SA-301

UPPER : **SAFER** low ankle safety shoe made up from breathable genuine leather having 3D fabric on collar

LINING : High sweat absorbing cambrilla lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC double density. Slip, Oil & Acid resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour
Optional : Flexible Steel Mid Plate

STANDARD : IS: 15298 (Part-2): 2016

COLOUR : Black & Grey

SIZES : 5 to 11



Product Code: RA-550

UPPER : **RAINBOW** low ankle safety shoe made up from synthetic leather

LINING : High sweat absorbing lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Black

SIZES : 5 to 11





Product Code: RA-501

UPPER : **RAINBOW** low ankle safety shoe made up of synthetic leather stitched with Orange colour bonded thread

LINING : High sweat absorbing lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid Resistant

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Black & Orange

SIZES : 5 to 11



Product Code: RA-599A

UPPER : **RAINBOW** high ankle safety shoe made up of synthetic leather stitched with Green colour bonded thread

LINING : High sweat absorbing lining with foam for comfort

EYELETS : SS- D-Rings on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid Resistant

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Black & Green

SIZES : 5 to 11





Product Code: RA-701

UPPER : **RAINBOW** low ankle safety shoe made up of synthetic leather

LINING : High sweat absorbing lining with foam for comfort

EYELETS : SS eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Black

SIZES : 5 to 11



Product Code: RA-703

UPPER : **RAINBOW** low ankle safety shoe made up from synthetic leather stitched with Orange colour bonded thread having padded tongue

LINING : Black colour cambrilla lining with foam for comfort

EYELETS : Light weight brass eyelets on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Black

SIZES : 5 to 11





Product Code: RA-704

UPPER : **RAINBOW** high ankle safety shoe made up of synthetic leather stitched with Orange colour bonded thread

LINING : High sweat absorbing Orange colour lining with foam for comfort

EYELETS : SS D-Rings on both faces

SOLE : Injection moulded PVC. Slip, Oil & Acid resistant

TOE : Broad Steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Black & Orange

SIZES : 5 to 11



Product Code: JUNGLE BOOT

UPPER : **DANNAR** jungle boot made from Olive Green textile cloth & genuine leather on Toe and Arch is binded wth black polyester fabric

EYELETS : Light weight metallic eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid resistant

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR : Olive Green

SIZES : 5 to 11





Product Code: TACTICAL BOOT

UPPER : *DANNAR* tactical boot made up from breathable genuine leather

LINING : Padded with extra foam for better comfort

EYELETS : Light weight metallic eyelets on both faces

SOLE : Single density PU. Slip, Oil & Acid Resistant

INSOLE : Anti fungal, Anti bacterial and Anti-odour

COLOUR: Black

SIZES: 5 to 11



Product Code: RUNNING SHOES

UPPER : *DANNAR* running shoe made up from PU synthetic leather with padded tongue

LINING : High sweat absorbing lining with foam for comfort

SOLE : Single density PU. Slip, Oil & Acid Resistant

INSOLE : Anti fungal, Anti bacterial, Anti-odour

COLOUR: Brown

SIZES: 5 to 11





Product Code: SA-403

UPPER : SAFER high ankle safety shoe made up from breathable genuine leather with padded tongue having stitching with Orange colour bonded thread

LINING : Equipped with Orange colour tetron fabric with foam for comfort

EYELETS : Light weight brass D-Rings on both faces

SOLE : Double Density PU. Slip, Oil & Acid Resistant
Optional : Anti-Static

TOE : Broad Steel toe cap

INSOLE : Anti-Fungal, Anti-Bacterial and Anti-Odour
Optional : Flexible Steel Mid Plate

COLOUR: Black & Orange

SIZES: 5 to 11



Product Code: GUMBOOT

UPPER : SAFER gumbboot made from heavy duty PVC

LINING : High sweat absorbing lining

HEIGHT: 15"

SOLE : Single density PU. Slip, Oil & Acid Resistant

TOE : Broad steel toe cap

INSOLE : Anti fungal, Anti bacterial, Anti-Odour

COLOUR: Black

SIZES: 6 to 10



SAFETY HARNESS & FALL PROTECTION



PN 22 Safety Harness



PN 56 Safety Harness



PN 351 Twisted Rope E.A Forked Lanyard



PN 403 Recovery Stretcher



PN 131 Scaffolding Hook



PN 401 Grip Descender



PN 800 : Tripod & PN 801 : Winch



Retractable Fall Arrester




PN 2000A : Fall Arrester



Electrical Hand Gloves



Nose Mask



Leather Hand Gloves



Dust Mask



Rubber Hand Gloves



Safety Spectacles



Dotted Hand Gloves



Safety Spectacles



Welding Shield




Ear Muff

PPE



Safety Nets




Border Rope



Mesh Rope



Tie Cord Rope



Mesh



Knot

Two Types of Knots :

Hand Made Knots : In hand made knots, there may be variant of 10 % to 15 % in the mesh size.

Machine Made Knots : In machine made knots, mesh size is accurate.

Aktion Safety Nets are fabricated from polypropylene ropes (as per IS 5175) in Knotted meshes to enhance effectiveness of fall arrest function.

It imparts high breaking strength to support heavy load impacts & stabilized against adverse atmospheric conditions to ensure longer life. It is available to match and meet specific requirements in size and shapes. Safety Nets are broadly classified into two categories :


Debris Fall Nets

Debris netting is a knitted mesh used to wrap buildings for safety, protecting workers, pedestrians on the street, and adjacent properties from falling objects including building materials, equipment, and other hazards. This netting is high strength, pliable, reusable, and can be moved from floor to floor as the project requires.

Man & Debris Fall Nets

Debris Netting, when combined with structural netting as a backing, provides the highest strength in applications requiring heavy debris containment. Our personnel netting is made of high tenacity diamond or square mesh designed to meet your most rigorous construction demands. A fall safety net must have a certain energy absorption capacity to be able to safely catch people in an emergency. The fall safety nets that we offer fulfil these provisions and, even exceed the required minimum energy absorption capacity. Safety Nets tested as per IS:11057

Debris Fall Safety Nets



Product : 2 mm Double Cord Net

KNOT TYPE : Hand Made

MESH SIZE : 30 mm X 30 mm

MESH ROPE : 2 mm Double Cord with HDPE Rope

BORDER ROPE : 12 mm dia PP Rope

TIE CORD ROPE : 12 mm dia PP Rope of 1.5 metres length at every 2.5 metre interval

Product : Double Layer 4 mm with Containment Net

1st LAYER

MESH ROPE : 4 mm Polypropylene (PP) Rope (as per IS 5175)

MESH SIZE : 100 mm x 100 mm (Hand Made)


2nd LAYER

MESH ROPE : 1 mm HDPE Rope

MESH SIZE : 15-22 mm (Machine Made)

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 1.5 metres length at every 2.5 metre interval



Product : Double Layer 4 mm with 120 gsm Monofilament Net

1st LAYER

MESH ROPE : 4 mm Polypropylene (PP) Rope (as per IS 5175)


MESH SIZE : 100 mm x 100 mm (Hand Made)

2nd LAYER


120 gsm Monofilament Net

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 1.5 metres length at every 2.5 metre interval



Man & Debris Fall Safety Nets



Product : 2.5 mm Braided Net

KNOT TYPE : Machine Made

MESH SIZE : 30 mm X 30 mm / 25 mm x 25 mm

MESH ROPE : 2.5 mm Braided ROPE

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 2 metres length at every 2.5 metre interval

Product : Double Layer 4 mm with Containment Net

1st LAYER

MESH ROPE : 2.5 mm Braided Rope


MESH SIZE : 30 mm x 30 mm (Machine Made)

2nd LAYER

120 gsm Monofilament Net

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 2 metres length at every 2.5 metre interval



Product : Triple Layer 4 mm with 2.5 mm Braided with Containment Net

1st LAYER

MESH ROPE : 4 mm PP Rope (as per IS 5175)

MESH SIZE : 100 mm x 100 mm (Hand Made)

2nd LAYER

MESH ROPE : 2.5 mm Braided


MESH SIZE : 30 mm x 30 mm (Machine Made)


3rd LAYER

120 gsm Monofilament Net

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 2 metres length at every 2.5 metre interval





Product : Double Layer 5 mm Braided with Containment Net

1st LAYER

MESH ROPE : 5 mm Braided

MESH SIZE : 100 mm x 100 mm (Machine Made)

2nd LAYER

MESH ROPE : 1 mm HDPE Rope

MESH SIZE : 15-22 mm (Machine Made)

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 2 metres length at every 2.5 metre interval

Product : Double Layer 5 mm with 2.5 mm Braided Net

1st LAYER MESH ROPE : 5 mm Braided


MESH SIZE : 100 mm x 100 mm (Machine Made)

2nd LAYER MESH ROPE : 2.5 mm Braided

MESH SIZE : 25 x 25 / 30 x 30 (mm) (Machine Made)

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 2 metres length at every 2.5 metre interval



Product : Triple Layer 5 mm with 2.5 mm Braided with Mono Filament Net

1st LAYER MESH ROPE : 5 mm Braided

MESH SIZE : 100 mm x 100 mm (Machine Made)

2nd LAYER MESH ROPE : 2.5 mm Braided


MESH SIZE : 25 x 25 / 30 x 30 (mm) (Machine Made)

3rd LAYER

120 gsm Monofilament Net

BORDER ROPE : 12 mm dia PP Rope (as per IS 5175)

TIE CORD ROPE : 12 mm dia PP Rope of 2 metres length at every 2.5 metre interval



POWDER PORTABLE FIRE EXTINGUISHER (Stored Pressure/Gas Cartridge Type) ABC Type



IS-15683



Technical Specification

Capacity (Kg)	1	2	4	6	9
Anti-Corrosive Inhibitor	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating
Confirming IS Code	15683	15683	15683	15683	15683
Type of Extinguisher	Constant Pressure	Constant Pressure	Constant Pressure/Gas Cartridge	Constant Pressure/Gas Cartridge	Constant Pressure/Gas Cartridge
Type of Extinguishing Media	Dry Powder IS 14609/IS 4308	Dry Powder IS 14609/IS 4308	Dry Powder IS 14609/IS 4308	Dry Powder IS 14609/IS 4308	Dry Powder IS 14609/IS 4308
Expellant	Pressurized with N ₂ gas	Pressurized with N ₂ gas	Pressurized with N ₂ gas/ 90gm/120gm Gas Cartridge	Pressurized with N ₂ gas/ 120gm Gas Cartridge	Pressurized with N ₂ gas/ 200gm Gas Cartridge
Minimum Effective Discharge (%)	85	85	85	85	85
Minimum Jet Length (mtrs.)	More than 2 mtr.	More than 2 mtr.	More than 2 mtr.	More than 2 mtr.	More than 2 mtr.
Discharge Time (Sec.)	More than 8 sec.	More than 13 Sec.	More than 13 Sec.	More than 13 Sec.	More than 13 Sec.
Hydraulic Test Pressure (kg/cm ²)	35	35	35	35	35
Operating Position	Upright	Upright	Upright	Upright	Upright
Charged Pressure (kg/cm ²)	15	15	15	15	15
Operating Temperature Range(°C)	(-)10 to (+)55	(-)10 to (+)55	(-)10 to (+)55	(-)10 to (+)55	(-)10 to (+)55
Operating Valve	Squeeze Grip Type with Nozzle	Squeeze Grip Type with Nozzle	Squeeze Grip Type with Discharge hose and Nozzle	Squeeze Grip Type with Discharge hose and Nozzle	Squeeze Grip Type with Discharge hose and Nozzle

Also available in UL Listed Powder

APPLICATION :-

Class A Fire: Wood, Textiles, Paper, Plastic, Cloths, Cotton Mill, Jute Mill etc.

Class B Fire: Petroleum, Oil, Diesel, Paint, Varnish, Solvent, Aviation Fuel, Flammable and Volatile Liquids etc..

Class C Fire: Flammable Gases, Live Electrical Equipments, Industrial Gases, Electrical Installation, Power Grid etc.

WATER/FOAM PORTABLE FIRE EXTINGUISHER (Stored Pressure/Gas Cartidge Type)



IS-15683



Technical Specification

	WATER		M. FOAM	
	6	9	6	9
Capacity (kg)	6	9	6	9
Anti-corrosive Inhibitor	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating	Epoxy Polyester Powder Coating
Confirming Is Code	15683	15683	15683	15683
Type Of Extinguisher	Constant Pressure/Gas Cartridge	Constant Pressure/Gas Cartridge	Constant Pressure/Gas Cartridge	Constant Pressure/Gas Cartridge
Type Of Extinguisher Media	Soft Water	Soft Water	Soft Water & AFFF is 4989	Soft Water & AFFF is 4989
Expellant	Pressurized With N ₂ gas/ 60gm/gm Gas Cartridge	Pressurized With N ₂ gas/ 90gm/120gm Gas Cartridge	Pressurized With N ₂ gas/ 60gm/ Gas Cartridge	Pressurized With N ₂ gas/ 60gm/ 120gm Gas Cartridge
Minimum Effective Discharge (%)	95	95	95	95
Minimum Let Length (mtrs.)	More Than 2 Mtr.	More Than 2 Mtr.	More Than 2 Mtr.	More Than 2 Mtr.
Discharge Time (sec.)	More Than 13 Sec.	More Than 13 Sec.	More Than 13 Sec.	More Than 13 Sec.
Hydraulic Test Pressure (kg/cm ²)	35	35	35	35
Operating Position	Upright	Upright	Upright	Upright
Charged Pressure (kg/cm ²)	15	15	15	15
Operating Temperature Ranger (C)	0 to (+) 55	0 to (+) 55	0 to (+) 55	0 to (+) 55
Operating Valve	Squeeze Grip Type With Discharge Hose And Nozzle	Squeeze Grip Type With Discharge Hose And Nozzle	Squeeze Grip Type With Discharge Hose And Nozzle	Squeeze Grip Type With Discharge Hose And Nozzle

CARBON DI-OXIDE PORTABLE & TROLLEY MOUNTED FIRE EXTINGUISHER



FIRE PROTECTION

Technical Specification

	PORTABLE			TROLLEY MOUNTED		
	15683	15683	15683	2878	2878	2878
Conforming IS Specn.	15683	15683	15683	2878	2878	2878
Capacity (Kg)	2	3	4.5	6.5	9	22.5
Fire Ratio	0.667	0.667	0.667	0.667	0.667	0.667
Type of Extinguisher	CO ₂ Type	CO ₂ Type	CO ₂ Type	CO ₂ Type	CO ₂ Type	CO ₂ Type
Type of Extinguishing Media	CO ₂ Gas	CO ₂ Gas	CO ₂ Gas	CO ₂ Gas	CO ₂ Gas	CO ₂ Gas
Expellent	Self	Self	Self	Self	Self	Self
Min. Effective Discharge (%)	95	95	95	95	95	95
Min. Discharge Time (Sec.)	More than 8	More than 8	More than 8	10 to 20	15 to 36	20 to 60
Min. Throw (mtrs.)	1	1	2	-	-	-
Operating Position	Upright	Upright	Upright	Upright	Upright	Upright
Operating Calve (IS 3224)	Squeeze Grip Type	Squeeze Grip Type	Squeeze Grip Type	Wheel / Squeeze Grip Type	Wheel / Squeeze Grip Type	Wheel / Squeeze Grip Type
Operating Temperature Range (°C)	(-)30 to (+)55	(-)30 to (+)55	(-)30 to (+)55	(-)30 to (+)55	(-)30 to (+)55	(-)30 to (+)55
Fire Rating	8B, C	13B, C	21B, C	-	-	-

APPLICATION :-

Class B Fire : Petroleum, Oil, Diesel, Paint, Varnish, Solvent, Aviation Fuel, Flammable and Volatile Liquids etc..


Class C Fire : Flammable Gases, Live Electrical Equipments, Industrial Gases, Electrical Installation and Server Room etc.

FIRE RATING APPROVED BY BIS

EXTINGUISHER TYPE	CAPACITY	OPERATING TEMPERATURE	FIRE RATING
POWDER STORED PRESSURE TYPE FIRE EXTINGUISHER DULY FILLED WITH ISI MARKED ABC/BC TYPE POWDER	1 KG	-10°C TO +55°C	1A, 8B, C
	2 KG		2A, 13B, C
	4 KG		3A, 21B, C
	6 KG		3A, 34B, C
	9 KG		4A, 55B, C
CARBON DIOXIDE TYPE FIRE EXTINGUISHER	2 KG	-30°C TO +55°C	8B, C
	3 KG		13B, C
	4.5 KG		21B, C
WATER STORED PRESSURE TYPE FIRE EXTINGUISHER	6 LTR	0°C TO +55°C	2A
	9 LTR		3A
MECHANICAL FOAM STORED PRESSURE TYPE FIRE EXTINGUISHER	6 LTR	0°C TO +55°C	2A, 21B
	9 LTR		3A, 55B

Note : Fire Rating for Class A is not valid for Fire Extinguishers with Dry Powder IS 4308.

ELECTRICAL SAFETY PRODUCTS



Electrical Insulating Mat

Aktion Electrical Insulating Mats are IS: 5424/1969 certified, they are ideal for electrical purpose. Our Electrical Rubber Mats are used as floor covering around electrical panels as a safeguard to the life of the workers due to possible leakage of current and short circuit. These rubber mats are manufactured by special rubber compound, free from fabric insertion and fibrous material to serve your purpose of safety at its best.

Surface : Ribbed, fluted, chequered, plain any other desired pattern.

Length : 2M, 5M, 10M, 20M

Width : 3 ft. (900 mm) / 1M / 1.2M

Color : Red, Black, Blue. Other colors as per request.

Thickness : 2 mm, 2.5 mm, 3 mm

Class	Max. Use Voltage (KV)	AC Proof Voltage (KV)	Di-Electric Strength(KV)	Thickness
A	3.3	10	30	2.0 mm
B	11	22	45	2.5 mm
B	33	36	65	3.0 mm



Electrical Safety Gloves



Discharge Rod



FRP Ladder



LOCK OUT TAG OUT

Lock Out Tag Out product used in industry for safety purpose to prevent from electrical & mechanical accident. LOTO Products ensure that machine or device are properly shut down and not able to restart. Lock Out Tag Out products used to stop the energy flow and protect humans from electrical & Mechanical hazards.

Lock Out Tag Out Includes:


- Electrical Panel Logout Devices
- MCB Lockout Devices
- Safety HASP Lockout Devices
- Electrical Plug and Pneumatic Lockout Devices
- ULD Lockout Device
- Cable Lockout Devices
- Gate valve Lockout Devices
- Valve Lockout Devices
- Safety Lockout Padlocks
- Tags / Scaffolding Tag Holder & tag
- Lockout
- Lock Out Tag Out Kits



CE
CERTIFIED
PRODUCTS

Electrical Panel Lockout Devices

Electrical Panel Lockout Devices helps us to completely shut down electronic systems to secure from electrical tragedy for high volt and low volt application.



Product Code: AK-ACB-37

Multipurpose Electrical Panel Lockout

Made in two parts with locking arrangement

Material : Made of sturdy plastic

Colour : Colourless

Weight : 22 gms

Width : 40 mm **Height :** 40 mm



Product Code: AK-VCB-39

Mini Electrical Panel Lockout

Material : Made of Sturdy Plastic

Colour : Colourless

Total Weight : 48 gms

L x W x H : 52 x 52 x 40 (mm)



Product Code: AK-EN-40

Electrical Panel Lockout- Multi Devices - with chain

Material : Made of Sturdy Plastic

Colour : Colourless

Total Weight : 64 gms

L x B x H : 55 x 55 x 60 (mm)



Product Code: AK-EH-41

Electrical Panel Lockout - Multi Devices- Outer circular base with provision of hole in base part

Material : Made of sturdy plastic

Colour : Colourless

Total Weight : 124 gms

Box Dia. : 90 mm **Box Height. :** 70 mm

Total Height : 80 mm **No. of Holes: 2**



Product Code: AK-EH-42

Electrical Panel Lockout - Multi Devices- Outer circular base with provision of hole in base part

Material : Made of sturdy plastic

Colour : Colourless

Total Weight : 218 gms

Box Dia. : 120 mm **Box Height. :** 70 mm

Total Height : 80 mm **No. of Holes: 2**



Product Code: AK-PL-46

Electrical Panel Lockout Device is most appropriate lockout device for oversized electrical push button on the electrical panel

Material : Made of sturdy plastic

Colour : Colourless


Total Weight : 90 gms

Circle Dia. : 70 mm

Height. : 70 mm

No. of Holes: 2





Product Code: AK-ACB-36

Air Circuit Breaker Lockout Kit :

Material : Rail & bars are made from moulded ABS

Colour : Red, Yellow, Green

Total Weight : 55 gms

LxWxH: 100 x 20 x 30 (mm)

Red & Green Blocking Bar : 9" long

Red mean locked off, Green mean locked on



Product Code: AK-VCB-38

Shut Down VCB Box

Material : Mild Steel and Acrylic Sheet

Colour : Grey

Total Weight : 342 gms

LxWxH: 160 x 100 x 35 (mm)



Product Code: AK-HPL-43

Electrical Handle Lockout with Padlock out & without Padlock out Made of three parts.

Material : Made of ABS material + steel

Colour: Red & Yellow

TOTAL WEIGHT : 50 gms

Strip Total dia in opening position 135 mm

Strip Total dia in closed position 80 mm

Sticky Part dia. : 66 mm

No of Holes on strip : 10

Strip Width : 20 mm

Product Code: AK-MCCB-44

Large Circuit Breaker Lockout with provision of moulded teeth for strong grip.

Material : Made of ABS material

Colour : Red

Total Weight: 68 gms

Length: 70 mm

Height in open position : 115 mm

Height in closed position : 100 mm

Circle dis. : 60 mm



Product Code: AK-MCCB-45

Large Circuit Breaker Lockout with provision of moulded teeth for strong grip-with adjustable screw. Easily fitted on lever of Circuit Breaker.

Material : Made of ABS Material

Colour : Red

Total Weight : 38 gms

LxWxH: 70 x 40 x 10 (mm)



MCB Lockout Devices

MCB Lockout Devices helps us to completely shut down electronic systems to secure from electrical tragedy for high volt and low volt application.



Product Code: AK-MCB-51

Mini Circuit Breaker Lockout

Material : Made of sturdy plastic

Colour : Yellow

Weight : 9 gms

LxWxH: 10 x 25 x 45 (mm)



Product Code: AK-MCB-51 (F-S)

Mini Circuit breaker Lockout Devices with self adjustable screw

Material : Made of Sturdy Plastic

Colour : Yellow

Total Weight : 14 gms

L x W x H : 15 x 25 x 55 (mm)



Product Code: AK-UCBL-53

Universal Circuit Breaker Lockout

Material : Made of Sturdy Plastic

Colour : Red

Total Weight : 12 gms

L x W x H : 20 x 25 x 60 (mm)

Product Code: AK-UCBL-53 (F-S)

Universal Circuit Breaker Lockout with adjustable screw

Material : Made of Sturdy Plastic

Colour : Red

Total Weight : 14 gms

L x W x H : 20 x 25 x 60 (mm)

Screw Height : 23 mm



Product Code: AK-UCBL-54

Universal Circuit Breaker Lockout

Material : Made of Sturdy Plastic

Colour : Blue

Total Weight : 12 gms

L x W x H : 25 x 25 x 45 (mm)



Product Code: AK-UCBL-54 (F-S)

Universal Circuit Breaker Lockout Device with self adjustable screw

Material : Made of Sturdy Plastic

Colour : Blue

Total Weight : 14 gms

LxWxH: 25 x 25 x 45 (mm)



Product Code: AK-CBL-59

Mini Circuit Breaker Lockout Device with screw - Suitable for single pole, for small curvature knob

Material : Made of sturdy plastic

Colour : Green

Total Weight : 8 gms

LxWxH: 10 x 20 x 45 (mm)



Product Code: AK-CBL-55

Pin Out Circuit Breaker Lockout Device

Pin type lockout is most suitable for MCB switch

Material : Made of sturdy plastic & high tensile metallic pin and spring

Colour : Yellow

Total Weight : 7 gms

LxWxH: 23 x 25 x 40 (mm)

LOCK OUT TAG OUT



Product Code: AK-CBL-56

Pin In Circuit Breaker Lockout Device

Pin type lockout is most suitable for MCB switch

Material : Made of sturdy plastic & high tensile metallic pin and spring

Colour : Yellow

Total Weight : 7 gms

LxWxH: 23 x 25 x 40 (mm)



Product Code: AK-CBL-57

Pin Out Circuit Breaker Lockout Device

Pin type lockout is most suitable for MCB switch

Material : Made of sturdy plastic & high tensile metallic pin and spring

Colour : Yellow

Total Weight : 7 gms

LxWxH: 23 x 25 x 40 (mm)



Safety HASP Lockout Devices

Safety HASP Lockout Devices provide effective multi-person lockout. Multiple padlocks can be applied to Lockout HASP, this allows an energy source to be isolated by more than one worker. This means that the energy source is completely locked out and can't be operated until each worker unlocks their padlock from the hasp.



Product Code: AK-HS-67

Lockout HASP best recommended for Electrical Panel, MCB etc.

Material : Made of Mild Steel with vinyl moulded coating on grip

Colour : Red, Green, Blue, Yellow

Weight : 103 gms

Jaw Size : 24 mm

Total Height : 115 mm

Shackle Height : 60 mm

Opening : 27 mm

No. of Padlock Holes : 6



Product Code: AK-HS-68

Lockout HASP best recommended for Electrical Panel, MCB etc.

Material : Made of Mild Steel with vinyl moulded coating on grip

Colour : Red, Green, Blue, Yellow

WEIGHT : 119 gms

Jaw Size : 34 mm

Total Height : 130 mm

Shackle Height : 73 mm

Opening : 39 mm

No. of Padlock Holes : 6



Product Code: AK-HS-69

Lockout HASP best recommended for Electrical Panel, MCB etc.

Material : Made of Mild Steel

Colour : Metallic Silver

Weight : 33 gms

Jaw Size : 25 mm

Total Height : 110 mm

Shackle Height : 60 mm

Opening : 27 mm

No. of Padlock Holes : 6



Product Code: AK-HN-71

Multi Device HASP ideal for Electrical Panels, MCB Switches and Panel Handles

Material : Made of sturdy plastic

Colour : Red, Yellow

Weight : 20 gms

Jaw Size : 40 mm

Total Height : 130 mm

Shackle Height (In Closed Position) : 67 mm

Shackle Width (In Closed Position) : 40 mm

No. of Padlock Holes : 8



Product Code: AK-HN-72

Multi Device HASP ideal for Electrical Panels, MCB Switches and Panel Handles

Material : Made of sturdy plastic

Colour : Red, Yellow

Weight : 16 gms

Jaw Size : 38 mm

Total Height : 130 mm

Shackle Height (In Closed Position) : 70 mm

Shackle Width (In Closed Position) : 35 mm

No. of Padlock Holes : 4



Product Code: AK-DEH-73

HASP Ideal for Electrical Panels, MCB Switches and Panel Handles

Material : Made of sturdy plastic

Colour : Red

Weight : 16 gms

Jaw Size : 30 mm

Total Height : 155 mm

Shackle Height (In Closed Position) : 88 mm

Shackle Width (In Closed Position) : 40 mm

No. of Padlock Holes : 4



Product Code: AK-DEH-74

HASP Ideal for Electrical Panels, MCB Switches and Panel Handles

Material : Made of sturdy plastic

Colour : Red

Weight : 22 gms

Jaw Size : 30 mm

Total Height : 155 mm

Shackle Height (In Closed Position) : 88 mm

Shackle Width (In Closed Position) : 40 mm

No. of Padlock Holes : 4



Product Code: AK-SLDH-75 R

Lockout HASP best recommended for Electrical Panel, MCB etc.

Material : Made of sturdy plastic

Colour : Red

Weight : 36 gms

Jaw Size : 20 mm

Total Height : 115 mm

Shackle Width : 30 mm

Shackle Height : 45 mm

No. of Padlock Holes : 4

Product Code: AK-SLDH-75 Y

HASP Best recommended for Electrical Panel, MCB etc.

Material : Made of sturdy plastic

Colour : Yellow

Weight : 36 gms

Jaw Size : 20 mm

Total Height : 115 mm

Shackle Width : 30 mm

Shackle Height : 45 mm

No. of Padlock Holes : 4



Product Code: AK-SLDH-76

HASP Best recommended for Electrical Panels, MCB etc.

Material : Made of sturdy plastic

Colour : Red

Weight : 35 gms

Jaw Size : 20 mm

Total Height : 110 mm

Shackle Width : 25 mm

Shackle Height : 45 mm

No. of Padlock Holes : 4



LOCK OUT TAG OUT

Electrical Plug & Pneumatic Lockout Devices

Electrical Plug and Pneumatic lockout devices helps us to completely shut down electrical systems to secure from electrical tragedy for high volt and low volt application.



Product Code: AK-UEL-91

Universal Multi Device Lockout Device for cylinder isolation - this is river Round Type -Can be used with padlock

Material : Made of sturdy plastic

Colour : Red

Weight : 132 gms

Height : 170 mm

Upper Dia. : 85 mm

Lower Dia. : 90 mm



Product Code: AK-LPG-92

Universal Multi Device Lockout product for cylinder isolation

MATERIAL : Made of sturdy plastic

COLOUR : Red

WEIGHT : 360 gms

LxBxH : 110 x 110 x 230 (mm)

Upper Circle Dia. : 42 mm



Product Code: AK-MP-95

Mini Plug Cord Lockout is to protect themselves from the unexpected start up of machinery or electric circuit

Material : Made of sturdy plastic

Colour : Red

Weight : 78 gms

LxWxH : 90 x 55 x 55 (mm)

No. of Holes : 2



Product Code: AK-PN-96

Air Source Lockout applied to the fitting and prevents it from being reconnected to the pressurised air source

MATERIAL : Made of Stainless Steel

COLOUR : Silver

LxWxT : 196 x 35 x 3 (mm)



ULD Lockout Devices

ULD Lockout Devices helps us to completely block mechanical flow of energy to secure from tragedy. Prevents human life from water hazards.

Product Code: AK-ULD-21

Universal Valve Lockout Device is perfect for locking all type valves

Material : Made of sturdy plastic

Colour : Red

Weight : 242 gms

Height : 170 mm

Width : 80 mm



Product Code: AK-ULD-22

Universal Valve Lockout Device with insulated Cable to lock wheel / gate valve. It can be used to lockout ball valve

Material : ABS + METAL Part + Spring + PU


Colour : Red

Weight : 312 gms

Total Height : 165 mm

Width : 80 mm

Cable Length : 2.5 mtr.



Product Code: AK-ULD-23

Universal Valve Lockout Device having one Long Arm used to lockout ball valve

MATERIAL : ABS + METAL Part + Spring + PU

COLOUR : Red

WEIGHT : 410 gms

ULD Height : 165 mm

Width : 50 mm

Long Arm Height : 150 mm

Total Height : 240 mm

Total Length : 170 mm



Product Code: AK-ULD-24

Universal Valve Lockout Device having Double Long Arms used to lockout ball valve

MATERIAL : ABS + METAL Part + Spring + PU

COLOUR : Red

WEIGHT : 696 gms

ULD Height : 170 mm

Width : 60 mm

Long Arm Height : 200 mm

Total Height : 300 mm

Total Length : 390 mm



LOCK OUT TAG OUT

Cable Lockout Devices



Cable Lockout Device is a versatile lockout device. A long flexible cable can be passed around an assortment of prime mover isolating devices e.g. Valve wheels and levers and electrical switchgear handles. The cable passes back into the locking device and is secured in place with a padlock.



Product Code: AK-MWD-26

Multipurpose Cable Lockout Device used as HASP and Cable Lockout, ideal for multiple application

Material : Upper part made of ABS composition with 6 hole for locking purpose and slot for gripping insulated cable. Provided with 2.5 mtr. insulated cable. **Shackle Material** : Steel

Colour : Red

Weight : 188 gms

Total Height : 150 mm **Total Width** : 60 mm

Shackle Height: 60 mm **Shackle Width**: 45 mm



Product Code: AK-MWD-27

Multipurpose Cable Lockout Device used as HASP and Cable Lockout, ideal for multiple application

Material : Upper part made of ABS composition with 6 holes for locking purpose and slot for gripping insulated cable. Provided with 2.5 mtr. insulated cable. **Shackle Material** : Steel

Colour : Yellow

Weight : 118 gms

Total Height : 150 mm **Total Width** : 60 mm

Shackle Height : 60 mm **Shackle Width** : 45 mm



Product Code: AK-MSD-28

Multipurpose Cable Lockout Device used to Lockout Electrical and Mechanical devices

Material : Made of ABS Material in two parts having 6 holes with 2 mtr steel cable with Insulation. PVC insulated Coating

Colour : Red

Weight : 102 gms

Height : 120 mm **Width** : 30 mm

Opening Length : 240 mm



Product Code: AK-MRD-29

Multipurpose Cable Lockout Device in circular shape, used to lockout electrical and mechanical devices

Material : Made of ABS Material in two parts having 6 holes with 2 mtr. steel cable with Insulation

Colour : Red

Weight : 114 gms

Dia. : 50 mm

Width : 20 mm



Gate Valve Lockout Devices

Gate Valve Lockout Device is made by two parts, these rotational valve covers can withstand extreme weather conditions. It is very flexible lockout arrangement that fits on gate valves of different dimensions. Surrounds the valve handwheel to prevent from being turned and protect against accidental operations.

Product Code: AK-GVL-02-W

Gate Valve Lockout Device made in two parts with arrangement for locking Gate Valves. Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.

Material : Made of sturdy plastic

Colour : Red

Weight : 54 gms

Valve Dia. : 80 mm **Hole Dia. :** 30 mm

Valve Width : 40 mm



Product Code: AK-GVL-04-W

Gate Valve Lockout Device made in two parts with arrangement for locking Gate Valves. Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.

Material : Made of sturdy plastic

Colour : Red

Weight : 225 gms

Valve Dia. : 160 mm **Hole Dia. :** 50 mm

Valve Width : 40 mm

LOCK OUT TAG OUT

Product Code: AK-AGVL-06-W (R/Y)

Gate Valve Lockout Device made in two parts with arrangement for locking Gate Valves. Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.

Material : Made of sturdy plastic

Colour : Red

Weight : 256 gms

LxWxH : 260 x 140 x 50 (mm)

No. of Holes : 4



Product Code: AK-GVL-08-W

Gate Valve Lockout Device made in two parts with arrangement for locking Gate Valves. Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.

Material : Made of sturdy plastic

Colour : Red

Weight : 630 gms

Valve Dia. : 280 mm **Hole Dia. :** 100 mm

Valve Width : 60 mm





Product Code: AK-GVL-10-W

Gate Valve Lockout Device made in two parts with arrangement for locking Gate Valves. Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned

Material : Made of sturdy plastic

Colour : Red

Weight : 1200 gms

Valve Dia. : 380 mm **Hole Dia. :** 120 mm

Valve Width : 160 mm



Product Code: AK-MUSHROOM

Mushroom made in two parts with arrangement for locking Gate Valves ranging 25 mm to 63.5 mm. Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.

Material : Made of sturdy plastic

Colour : White

Weight : 54 gms


Valve Dia. : 80 mm **Hole Dia. :** 30 mm

Valve Width : 40 mm



Valve Lockout Devices

Valve Lockout Devices shut off many kinds of pressured valves including: ball valve, butterfly valve, cylinder valve, gate valve, plug valve and pneumatic. Adjustable and universal devices are available for additional flexibility. Used to stop the flow of Mechanical Energy and prevent human life from water hazards.



Product Code: AK-BVL-11

Ball Valve Lockout Device with double legs. Hole on both parts will match and multi lock can be used at the time of isolation. 6 Lock at a time can be used- without group lockout devices.

Material : Made of sturdy plastic

Colour : Red

Weight : 200 gms

Height : 90 mm

Open Length : 300 mm **Close Length :** 220 mm

No. of Padlock Holes : 6



Product Code: AK-BVL-12

Ball Valve Lockout Device with double legs. Hole on both parts will match and multi lock can be used at the time of isolation. 7 Lock at a time can be used- without group lockout devices.

Material : Made of sturdy plastic

Colour : Red

Weight : 160 gms

Height : 90 mm

Open Length : 250 mm **Close Length :** 165 mm

No. of Padlock Holes : 7



Product Code: AK-BVL-13

Ball Valve Lockout Device with double legs. Hole on both parts will match and multi lock can be used at the time of isolation. 6 Lock at a time can be used- without group lockout devices.

Material : Made of sturdy plastic

Colour : Red

Weight : 176 gms

Height : 90 mm

Open Length : 240 mm **Close Length :** 150 mm

No. of Padlock Holes : 6



Product Code: AK-BVL-14

Ball Valve Lockout Device with double legs. Hole on both parts will match and multi lock can be used at the time of isolation. 10 Lock at a time can be used- without group lockout devices.

Material : Made of sturdy plastic

Colour : Red

Weight : 180 gms

Height : 100 mm

Open Length : 220 mm

No. of Padlock Holes : 10



Product Code: AK-BVL-15

Ball Valve Lockout Device with double legs. Hole on both parts will match and multi lock can be used at the time of isolation. 7 Lock at a time can be used- without group lockout devices.

Material : Made of sturdy plastic

Colour : Red

Weight : 175 gms

Height : 100 mm

Open Length : 220 mm

No. of Padlock Holes : 7



Product Code: AK-BFL-16

Butterfly Valve Lockout Device Holes on both parts will match and multi lock can be used at the time of isolation. 12 Lock at a time can be used- without group lockout devices.

Material : Made of sturdy plastic

Colour : Red

Weight : 295 gms

Height : 70 mm

Open Length : 300 mm

No. of Padlock Holes : 12



Safety Lockout Padlocks

Safety Lockout Padlocks are used to control electrical and water flow of energy. LOTO products ensure us that the device is shut down and not able to restart for further use, These products are used to prevent human life from water & electrical hazards.



Product Code: AK-JPL-101

Padlock Long shackle with de-electric ABS cover With photo labels & different key ring. Each padlock is provided with 3 keys

Material : Lock and Shackle made from strong steel. ABS cover.

Colour : Red, Blue, Yellow, Green

Weight : 134 gms

Total Height : 90 mm **Total Width :** 40 mm

Shackle Height in Closed Position : 55 mm

Shackle Width in Closed Position : 30 mm



LOCK OUT TAG OUT



Product Code: AK-JPL-102

Padlock De- electric ABS cover With photo labels & different key ring. Each padlock is provided with 3 keys

Material : Lock and Shackle made from strong steel. ABS cover.

Colour : Red, Blue, Yellow, Green

Weight : 123 gms

Total Height : 65 mm **Total Width :** 40 mm

Shackle Height in Closed Position : 38 mm

Shackle Width in Closed Position : 28 mm



Product Code: AK-JPL-103

Padlock De- electric ABS cover With photo labels & different key ring. Each padlock is provided with 3 keys

Material : Lock and Shackle made from strong steel. ABS cover.

Colour : Red, Blue, Yellow, Green

Weight : 88 gms

Total Height : 50 mm **Total Width :** 40 mm

Shackle Height in Closed Position : 20 mm

Shackle Width in Closed Position : 22 mm



Product Code: AK-JPL-104

Padlock De- electric ABS cover With photo labels & different key ring. Each padlock is provided with 3 keys

Material : Lock and Shackle made from strong steel. ABS cover.

Colour : Red, Blue, Yellow, Green

Weight : 103 gms

Total Height : 90 mm **Total Width :** 40 mm

Shackle Height in Closed Position : 55 mm

Shackle Width in Closed Position : 25 mm



Product Code: AK-JPL-105

Padlock Long shackle with de- electric ABS cover With photo labels & different key ring. Each padlock is provided with 3 keys

Material : Lock and Shackle made from strong steel. ABS cover.

Colour : Red, Blue, Yellow, Green

Weight : 154 gms

Total Height : 100 mm **Total Width :** 50 mm

Shackle Height in Closed Position : 60 mm

Shackle Width in Closed Position : 30 mm



Product Code: AK-JPL-106

Padlock With photo labels & different key ring. Each padlock is provided with 3 keys

MATERIAL : Lock and Shackle made from strong steel

COLOUR : Red, Blue, Yellow, Green

WEIGHT : 60 gms

Total Height : 90 mm **Total Width :** 40 mm

Shackle Height in Closed Position : 50 mm

Shackle Width in Closed Position : 30 mm



Product Code: AK-JPL-107

Padlock Long shackle with de- electric ABS cover
With photo labels & different key ring. Each padlock is provided with 3 keys

Material : Lock and Shackle made from strong steel. ABS cover.

Colour : Red, Blue, Yellow, Green

Weight : 51 gms

Total Height : 100 mm **Total Width :** 50 mm

Shackle Height in Closed Position : 60 mm

Shackle Width in Closed Position : 30 mm



Product Code: AK-JPL-109

Electric Panel Door Lock Eye

Material : Mild Steel

Colour : Red

Weight : 23 gms, 20 gms, 16 gms

Total Height : 150 mm, 140 mm, 130 mm

Set: Long, Medium, Small

Scaffolding Tag & Holder

Product Code: Scaffolding Tag & Holder

Scaffold Tag Holder to hold the tag with inner round hole

Material : Made of ABS plastic material

Colour : White

Size of holder : 300 mm x 85.5 mm

Cutout dia of Holder : 55.5 mm

Tag Insert Size : 76 mm x 185.5 mm



LOCK OUT TAG OUT

Safety Lockout Tags

Self-laminated tags basically indicate danger, caution and some other important points related to the installed device. It can also be fixed with cable tie with lockout devices, and padlock. Made of Polyester/Plastic that is re-writable of thickness 0.3 mm - 0.5 mm (±10%) so can be re-used many times. Printing is resistant to water and oil. To hang the tags eye lid is provided which also prevents it from any damage and tear.



Lock Out Stations

Lockout Station gives a storage space at one location for lockout products like Electrical panel devices, MCB devices, Safety HASP devices ULD devices & many more. Lockout Stations allows you to secure the board which is near by energy source So you can easily access Lock Out Tag Out equipment.



Product Code: AK-LTS-112

Lockout Station without lockout devices. Used for storage of Lock Out Tag Out devices at a single place

Material : Powder Coated MS sheet. Front door having transparent acrylic sheet. In-built provision for locking the door

Colour : Yellow

Weight : 5000 gms

LxWxH : 380 x 1200 x 420 (mm)

No. of Shelves : 2



Product Code: AK-LTS-111

Lockout Station without lockout devices. Used for storage of Lock Out Tag Out devices at a single place.

Material : Powder Coated MS sheet. Front side in acrylic sheet.

Colour : Red

Weight : 5000 gms

LxWxH : 380 x 1200 x 420 (mm)

No. of Shelves : 2



Product Code: AK-KS-113

Product Code: AK-KS-113

Key Station with hanger for keys

Material : Powder Coated MS sheet. Front door having transparent acrylic sheet. In-built lock in door.

Colour : Red

Weight : 3890 gms

LxWxH : 380 x 80 x 430 (mm)

No. of Hangers for Hanging Keys : 3



Lockout Station without lockout devices. Used for storage of Lock Out Tag Out devices at a single place

Material : Powder Coated MS sheet. Front door having transparent acrylic sheet. Provision for locking the door

Colour : Red, Yellow

Weight : 3890 gms

LxWxH : 380 x 80 x 430 (mm)

No. of Hangers : 3



Product Code: AK-GLS-115

Group Lockout Box useful for objects storage and carriage. The box can't be opened till the last padlock has been removed.

Material : Powder Coated MS sheet.

Colour : Red

Weight : 1530 gms

LxWxH : 260 x 100 x 150 (mm)

No. of Padlock Holes : 12





Product Code: AK-GLS-116

Lock Out Station designed to hold Lock Out padlocks

Material : Made of powder coated MS Sheet

Colour : Yellow

Weight : 898 gms

LxWxH: 310x70x300(mm)

Inner Storage : L x W x H : 30 x 75 x 70 (mm)

No. of Hangers : 6



Product Code: AK-OPEN-117

Open Lock Out Station having different hangers and tag holder for keeping LOTO products

Material : ACP

Colour : White



Product Code: AK-KIT-118

Lockout Pouch with belt without devices. Easy to carry & waterproof.

Material : Made of matty

Colour : Black

Weight : 182 gms



Product Code: AK-KIT-119

Lockout Pouch with waist belt without devices. Easy to carry & waterproof.

Material : Made of matty

Colour : Black

Weight : 194 gms



Product Code: AK-TIE-120

Cable Tie is usually used for tying bundles of cables together

Material : Nylon

Colour : White



Product Code: AK-PEN-121

Marker Pen is used to create permanent writing on an object

Material : Plastic

Colour : Black, Blue, Green, Red



Product Code: AK-KIT-122

Lock Out Tag Out Box

Material : Sturdy Plastic

Colour : Black / Grey



Lock Out Tag Out Kits

**LOTO
COMMON
KIT PLUS
(AK-KIT-202)**



**LOTO
SAFETY
PERSONAL
KIT
(AK-KIT-203)**



**LOTO
CIRCUIT
BREAKER
LOCKOUT
KIT
(AK-KIT-204)**



**LOTO
ELECTRICAL
LOCKOUT
KIT
(AK-KIT-205)**



**LOTO
ELECTRICAL
POWER &
PANEL
LOCKOUT
DEVICE KIT
(AK-KIT-206)**



**LOTO
PLANT &
MACHINERY
LOCKOUT KIT
(AK-KIT-207)**



**LOTO
FULL
LOCKOUT
STATION
KIT
(AK-KIT-208)**



**LOTO
ELECTRICAL &
MECHANICAL
LOCKOUT
KIT
(AK-KIT-209)**



**LOTO
LOCKOUT
STATION
KIT
(AK-KIT-210)**



**LOTO
LOCKOUT
STATION
KIT
(AK-KIT-211)**



Road Safety Cones

CE-1087 Certified

Fabricated from LDPE & EVA ▶ UV stabilized for non-fading colour ▶ High flexibility to avoid crushing ▶ Reflective sleeve for day-night high visibility ▶ Space for writing some message or logo ▶ Available in different weights and sizes ▶ Provision for fixing of Plastic Chains, Light Bar, Reflector, Message Plate, Plastic Rope, Road Lamp & Cone Bar ▶ Cones are CE-1087 Certified ▶ Having a stylish design & highly visible color Red/Orange



Product Code: AK-802

Cone with Heavy Base

Material : LDPE & EVA

Colour : Red, Orange

Weight : 4200 gms.

Height : 760 mm

Bottom Square : 390 x 390 (mm)

Reflective Sleeve : 150 mm



(Injection Moulded)

APPLICATIONS

- * Center Lane Dividing
- * Diversion of the Roads
- * Parking Zones
- * Men at Works Zones
- * No Entry Zones
- * Temporary barricading at Hotels, Hospitals, Railway Stations, Air-Ports, Petrol Pumps, Bus Terminals etc.



Product Code: AK-801

One Part Cone

Material : LDPE & EVA

Colour : Red, Orange

Weight : 1200 gms.

Height : 760 mm

Bottom Square 390 x 390 (mm)

Reflective Sleeve : 100 mm

Product Code: AK-803

Mini Cone

Material : LDPE & EVA

Colour : Red, Orange

Weight : 550 gms.


Height : 500 mm

Bottom Square : 275 x 275 (mm)

Reflective Sleeve : 100 mm



Description : Plastic Chain
Model : S Type
Dimension : 8 mm x 48 mm
(Thickness, Length)



Description : Plastic Chain
Model : Anchor Type
Dimension : 6 mm x 71 mm
(Thickness, Length)



Spring Post

CE -1087 Certified

Aktion Spring Post is made of special flexible material (Poly-Urethane). It can quickly restore to its original shape without causing any damage to spring post as well as vehicles in case of high speed collisions. Three Bands of reflective tape are pasted on the spring post for high visibility even in bad weather conditions. It keeps excellent mechanical & chemical resistance (UV stabilized) so that it will not get discolored. The base of spring post is fixed on the road surface with the help of three bolts and special epoxy bond.



Product Code: AK-941

Spring Post
Material : PU
Colour : Red / Orange
Pole Size : 80 x 750 (mm)
Base Dia. : 200 mm
Bolt Size : 12 x 150 x (mm) 3 Nos.
Reflective Band : 75 mm 3 Nos.


APPLICATIONS

- * Accident Black Spots
- * Quick Turning Areas
- * Dark Zones
- * Lane Merging Zones
- * Centre Verge etc.

Installation Procedure: Clean the area where **Spring Post** is to be installed, mark the nail points, grout the holes and clean the surface again. Pour some good quality of epoxy then place the **Spring Post** and fix the bolts with hammer.

Delineator Post

Aktion Delineators are suitable for all kind of roads. Their reflectors gives best reflective performance to show the road geometry during day and night, making it convenient for drivers and keep them away from road hazards. These results in avoidance of accidents.



AK 948

50 mm x 1200 mm
ACP Plate 400 mm x 400 mm
ACP Plate 300 x 75 mm
ACP Plate Round 400 mm



AK 944

75 mm x 900 mm



AK 945

50 mm x 750 mm



AK 951

75 mm x 1200 mm



AK 952

50 mm x 750 mm

Road Barriers

Aktion Road Barrier is made from high impact resistant polymer, UV stabilised for non-fading colour. It provides greater degree of safety than drums, barricades of cones. Does not rust, chip, bend or peel. It is highly visible in working areas with coloured interlocking sections in Red and White. Due to light weight, allows one to position the barricade quickly and easily. Have enough space for more advertisements. Modular design allows to choose the length required. Absorbs energy of collision as the water inside takes the impact.

ROAD SAFETY



AK B-1

Product Code: AK B-1

Colour: Red

Length: 1600 mm

Width: 650 mm

Height: 980 mm

Water Ballast: 50 Litres

AK B-3

Product Code: AK B-3

Colour: Red

Length: 1025 mm

Width: 150 mm

Height: 500 mm

Water Ballast: 15 Litres

AK B-2

Product Code: AK B-2

Colour: Red

Length: 1000 mm

Width: 500 mm

Height: 800 mm

Water Ballast: 25 Litres

APPLICATIONS

Toll Booths | Parking Lots | Sidewalk Detour | Sports, Crowd Control etc. | Temporary Hazards, Closures
Terminals-ferry, Freight, Airport | Police and other Security purpose | Lane Delineation, diversion of Traffic etc.



AK B-15

Product Code: AK B-15

Colour: Red

Length: 2000 mm

Width: 150 mm

Height: 1250 mm


Product Code: AK B-6

Colour: Yellow, Black

Length Open: 2500 mm

Length Close: 340 mm

Height: 960 mm



AK B-6

Speed Bumps (ABS)

Made of sturdy plastic, **Aktion Speed Bumps** are highly resistant to severe impacts and harsh weather conditions. Its dovetail interlocking sub-units make it bind perfectly into one firm bump. The pre-coloured material (Black & Yellow) and UV stabilizers keep them perpetually colorful. Studded with reflectors on either side, they are clearly visible to the motorists during night hours.




Product Code: AK 1005

Colour : Yellow & Black

L x W x H : 250 x 350 x 50 (mm)

No. of Reflector: 2 (1 on Each Side)



Reflector



Interlocking

Product Code: AK 1006

Colour : Yellow & Black

L x W x H : 500 x 400 x 75 (mm)

No. of Reflector: 4 (2 nos. Each Side)



Product Code: AK 1012

Colour : Yellow & Black

L x W x H : 250 x 750 x 75 (mm)

No. of Reflector: 2 (1 on Each Side)

Speed Bumps (Rubber)



Product Code: AK 1013
Colour: Yellow & Black
L x W x H : 495 x 470 x 50 (mm)

ROAD SAFETY

Reflective Glass Beads

Product Code: AK 1008
Colour: Yellow & Black
L x W x H : 500 x 400 x 75 (mm)
Reflector: 4 (2 nos. Each Side)




Product Code: AK 1009
Colour: Yellow & Black
L x W x H : 500 x 400 x 50 (mm)
Reflector: 4 (2 nos. Each Side)

RUMBLE STRIPS SPEED BUMP



Product Code: AK 1011
Colour: Yellow & Black
L x W x H : 500 x 130 x 25 (mm)



APPLICATIONS

- * Diversion of Roads
- * City Areas
- * Private Colonies
- * Hospitals
- * Schools
- * Security Check Posts
- * Toll Plaza
- * Parking Areas
- * Loading Areas etc.

Installation Procedure:

Clean the surface, mark the nail points, grout the holes and clean the surface again. Apply appropriate epoxy adhesive on the road surface and Bumps, place the Bumps on the fixing area and hammer the 4 bolts provided with the Bumps.
(FOR ABS SPEED BUMPS FILL IT WITH CONCRETE MIXTURE KEEP TILL IT BECOME DRY)

Solar Studs | Delineators

Aktion Solar range is self illuminating in dim areas or during night time. Solar rechargeable batteries for continual performance without much maintenance. Super bright LEDs with a viewing distance of 300-600 meters. Equipped with prismatic reflective lens on each side ensure maximum reflectivity. Made up of highly compressive material and used on the edge lines & corner of the road.



AK 966

Aluminium Alloy and Polycarbonate
Size : 75 mm x 80 mm



AK 967

Aluminium Alloy and Polycarbonate
Powder coated MS Pipe
Size : 75 mm x 80 mm
Pole size : 50 mm x 1000 mm



AK 103 - Barricade Solar Blinker

Size : 75 mm x 80 mm
Light color : Red/ Yellow
Solar Blinkers with Metal brackets for fixing with Barricador board with nut bolt.



AK 969 Solar Blinker

Aluminium Alloy and Polycarbonate
Size : 80 mm x 75 mm



AK 970

Aluminium Alloy and Polycarbonate
Size : 125 mm x 125 mm x 20 mm

Road Studs

Aktion Road Stud is made of ABS/Aluminium material. The stud is dynamically designed so that it can bear maximum load. Highly reflective reflectors moulded in PMMA material are fitted on the stud. The reflectors are welded with a ABS base plate through ultrasonic welding process so that water and dust can not touch reflector's inside area to maintain its reflectivity for a long time.




AK 971

Aluminum Alloy Body
110 mm x 120 mm x 24 mm



AK 971P

ABS Cat's Eye
110 mm x 128 mm x 30 mm



AK 971A

Aluminum Alloy Body
110 mm x 128 mm x 30 mm



AK 972

Aluminum Alloy Body
110 mm x 128 mm x 30 mm



AK 973

Aluminum Alloy Body
100 mm x 100 mm x 20 mm




AK 974

Aluminum Alloy Body
100 mm x 100 mm x 20 mm



AK 975

Aluminum Alloy Body
100 mm x 100 mm x 20 mm



AK 976

ABS Cat's Eye
100 mm x 100 mm x 20 mm



AK 976A

ABS Cat's Eye with Hole
100 mm x 100 mm x 20 mm



AK 978

ABS Cat's Eye
100 mm x 88 mm x 18.5 mm



AK 979

ABS Cat Eye with Double Shank
100 mm x 88 mm x 18.5 mm



AK 980

Aluminum Alloy Body
100 mm x 100 mm x 20 mm

Accident Black Spots | Quick Turning Areas | Dark Zones | Centre Lane Marking | Edge Lane Marking | Speed Breakers etc.

Reflectors

Aktion Reflectors are designed to give the maximum reflectivity which enhances the visibility of the vehicles during dark & bad light conditions. Their high reflection gives the drivers an extra time to take evasive action. Reflectors are fixed with base plate in a special manner to protect the inner surface from dust, water & humidity which enhances life of the reflectors. They never get discolored because of special material used.

ROAD SAFETY



AK 955
Dia. 80 mm



AK 956
Dia. 145 mm



AK 957
Dia. 109 mm



AK 959
150 x 150 x 150 mm



AK 960
300 x 300 x 300 mm



AK 961

L x W x T : 185 x 123 x 7 (mm)

AK 961

MEDIAN MARKER

Aktion Median Marker is a highly durable reflective product, which provides highest visibility to the median during night, and hence contributes to reduced accidents and enhanced safety of motorists and vehicles


Features & Benefits

- Tough Body. The body of median marker is made up of tough, high impact resistant, injection moulded thermoplastic which can with stand all natural impacts and has very good outdoor weathering characteristics
- Fluorescent Yellow/Red Reflector
- The fluorescent Yellow/Red reflector is used in order to maximize day, dawn, dusk & night time visibility
- Superior design



AK 962 GUARD RAILS

Aktion Reflectors for Guard Rails show the course of a carriageway at night. **Guard Rail Reflectors** are available for a variety of metal Rail profiles. Glass reflectors retain excellent reflective properties across a number of years. This differentiates glass reflectors from other reflective materials.



Parking Solutions

WHEEL STOPPER

Aktion Car Stopper helps ensure vehicles stop at the proper location while parking – preventing damage to buildings, sidewalks, curbs and delicate landscape. Ideal for retail/commercial/business parking lots, parking garages and municipalities.

Dimensions : 500 mm x 100 mm x 160 mm



Dimensions : 900 mm x 100 mm x 12 mm

CORNER GUARD

Aktion Heavy-duty Corner Protectors are designed to protect corners from damage. Extremely versatile protection for in warehouses, offices, overhead door frames and tracks, or any 90 degree corner. It features black and yellow stripes for increased visibility.


Dimensions : 550 mm x 100 mm x 12 mm



WHEEL CHOCK

Aktion Wheel Chocks are designed with sturdy material that prevents a vehicle's wheels prone from accidental movement. These are ideally placed to support the braking system and enhance the grip to the ground. The premium grade of raw materials are used for fabrication that offer them excellent reliability and efficient performance. Our range is tested on several parameters in observation of our adroit professionals to maintain the authenticity of the product.

Dimensions: 260 mm x 115 mm x 175 mm



DOCK PROTECTOR

Aktion Heavy-duty Dock Protectors are maintenance-free and absorb impact shock as the trailer compresses against your dock. Each molded rubber dock bumper is a one-piece design that will not warp, rust or harden.


Molded rubber dock bumpers are perfect for any low traffic dock applications.

Manufactured from fiber re-enforced prime rubber with nylon, the dock rubber bumper will have an impact recovery of 95% with a durometer reading of 80.

Dimensions : 450 mm x 240 mm x 100 mm

Electronic Safety Devices

Aktion safety Light Bar is made of strong material polycarbonate and ABS. LED and fluorescent cast vinyl film is used in the light bar to emit a highly visible signal. For proper sealing water proof ring is provided around the polycarbonate bar which increase the life of safety bar in all weather conditions. A handle is provided for better gripping. A multifunction switch is provided to select desired functions.



AK 101RG

Aktion Safety Light Bar comes with Red Blinking and Green Blinking (Length: 540 mm)

AK 006 (SEARCH LIGHT)

Aktion Hand-Held Search Light is a powerful LED light which provides visibility at more than 1000 meter distance in dark. Search light is powered by rechargeable battery. Easy handling with adjustable nylon shoulder strap and in built handle body of rigid rubber make it highly durable and weather resistant. Search light is widely used by the Police and Security people, Emergency services, Fire-Brigade, Construction companies etc.

Special Feature:
Small LED Torch at the Rear



Hand Held Metal Detector : - **General Features:** Designed for low enforcement security to detect all metals both ferrous and non-ferrous Auto balancing with push button operation High sensitivity & auto tune to every application working temperature 10 deg Centigrade to +50 deg Centigrade, 0-95% HR



AK 1203

Technical Specifications:

Detection : Detect all metals, both ferrous and non-ferrous Indication (1) on & low battery through separate LED (2) Auto-Visual

Indication : through Red Colour Led and Piezo buzzer

Construction : ABS moulded search head and powder coated metal cabinet

Overall DIM : Length 410mm Width 55mm High 23mm

Sensitivity : Paper Pin (1cm)

Power : 1.2 x 4 Ni-cd rechargeable battery

Weight : 500gm.

MISC. SAFETY PRODUCTS

Under Vehicle Bombs Search Trolley Mirror

Mirror Size : 2 ft. x 1 ft.

Also available Mirror : Size 24" x 18"

Handle Bar-Straight or telescopic handle bar length 4ft. approx. Moment Roller wheels provided for free & easy movement. Base Tilt Suitable design for clear view. Light Source (optional) Commando torch. Fully powder coated (select models).



Telescopic Extension Search Mirror

Mirror size : 9 inches x 5 inches approx
Telescopic handle bar. Handle extendable up to 4ft. approx. Light Source can be mounted (optional)

Barricading Tape, Net, Life Buoy, Life Jacket

Aktion Barricading Tape is manufactured for durability and resistance to all of the outside elements. This tape is preferred by Law Enforcement, Safety, Construction, Painting, Mining, Event Planning, Hardware, and Utilities. This Barricading tape is made from LDPE/PP and it is available in a variety of styles, sizes, and lengths. Make sure to make your statement clear when you customize this tape with your company's name, logo, phone number, web site, or any other information that may be pertinent.




BARRICADING TAPES

Available in 300 Mtrs. & 500 Mtrs. Tube Form / Single Strip Form
Barricading Tapes can be made as per your requirement / specification in any text, logo, graphics, language, size (width), colour etc.

Reflective Barricading Tape is also available

BARRICADING NET

Aktion offering an exclusive range of **Barricading Net**, which meets various needs of any construction site. The range is made available in vibrant colours such as fluorescent orange and others. It is used in highway construction, traffic control, hazardous chemical areas, construction sites, industrial facilities, manufacturing plants, demolition sites, utility markers, pipeline projects and bridge overpasses. Barricading is one of the main factors to protect persons against possible danger of falling inside manhole etc. This is used as warning barriers. Net is made in barricading orange colour & made of PE, ultra violet stabilized. Its available in mesh size 65 mm x 35 mm of roll size 1 Mtr. width 50 Mtr. long.



LIFE BUOY

Aktion Life Buoy is manufactured in durable high visibility orange synthetic material and requires no maintenance. Moisture proof and non-inflammable. The reflective material fixed in the indentations identifies victims in distress. The Life Buoy complies with the latest regulations. **SOLAS Approved.**

Buoyancy : 16 Kg



SPORTS LIFE JACKET

Aktion Life Jacket is designed especially for ships where storage space is limited. Its folding feature makes it ideal for use on high speed crafts where the Life Jackets have to be placed under the seat. **SOLAS APPROVED.**



FIRE BUCKETS WITH STAND

These buckets are widely used for storing sand as well as water in emergency situations or during fire accidents. Manufactured from the Galvanized M.S. Sheet (Heavy Duty), the offered Fire Buckets Stand is mostly painted with red color. 9 Litres capacity bucket .Bottom of bucket - hemispherical.

Available in different sizes, these stands are used in parking lots, hospitals and petrol pumps.


FIRST AID KIT

Kit for up to 25/50/75 People. We feature a comprehensive range of First Aid Kits for use in the workplace to enable employers to meet the Health & Safety standards recommended by government. First Aid Kit is Quality Assured at CE 0123 norms



CONVEX MIRROR

Aktion Convex Mirror Made up of Polycarbonate reflective Mirrors. Outdoor use with hood and complete with mounting hardware. Body is made of ABS



Mounting Kit

120 cm

Rebar Cap

- Manufactured from high quality polymer, UV-stabilised
- Size suitable for 8 mm to 25 mm steel bar



AKRC-01



STEEL
PLATE



AKRC-02



AKRC-03

Rebar caps protect the falling worker from impaling themselves on the concrete rebar protruding during the construction process.

Rebar caps are made to fit all sizes of rebar and can be used to comply with OSHA, ANSI. These Rebar Caps are placed on the end of rebar and blunt the rebar to prevent a falling worker from being impaled on the exposed rebar.




Rebar Cap with Steel Plate

Specifications

- **AKRC-02** - Size suitable for 8 to 18 mm steel bar
- **AKRC-03** - Size suitable for 20 to 32 mm steel bar

- Prevent penetration of a 250 lb [113 kg] sand bag dropped from a height of 10 ft. [3.05 m]
- Drop tests to be carried out on covers placed squarely on the rebars, and on covers sitting at the maximum angle out of square



AKRC-04 - Size suitable for 8-18 mm steel bar



AKRC-05 - Size suitable for 20-32 mm steel bar



AKRC-06 - Size suitable for 34-44 mm steel bar



Reflective Tape



High Intensity Prismatic (HIP)

RETRO-Reflective Tapes is the perfect choice for premium prismatic sheeting applications that require high reflectivity at both long and short distances. Ideal for use in rural signage applications, the overall reflective performance of HIP allows it to stand out against the competing brightness of urban background light while maintaining legibility.

HIP sheet is produced through an exceptionally strong welding process, giving the product outstanding weathering properties and a 7-year durability. In addition, HIP reflective sheeting has no orientation requirements, which allows sign shops to maximize material yields and save money on inventory. Government agencies can also benefit from using HIP since there is no risk of seeking orientation errors that can result in road signs not meeting required specifications.

Sizes: Available in 1", 2", 3".....47" & 48"

Reflective Tapes

Aktion Highly Visible Reflective Tape designed for rugged outdoor use on the sides and rear of trucks trailers and dark zone & rolls available in 150 running feet or 46 meter (approx).

Sizes: Available in 1", 2", 3".....47" & 48"






























Road Signs

CONFIRMING TO IRC : 67 : 2010 STANDARD

WARNING SIGNS

WARNING SIGNS



								
RIGHT HAND CURVE	LEFT HAIR PIN BAND	RIGHT ← HAIR PIN BAND →	LEFT ← HAIR PIN BAND →	RIGHT ← REVERSE BAND →	LEFT ← REVERSE BAND →	STEEP DESCENT	STEEP ASCENT	NARROW ROAD AHEAD
								
ROAD WIDEN AHEAD	NARROW BRIDGE	MEN AT WORK	PEDESTRIAN CROSSING	SCHOOL	FALLING ROCKS	CROSS ROAD	RIGHT ← SIDE ROAD	LEFT ← SIDE ROAD →
								
GAP IN MEDIAN	← Y-INTERSECTION →			GUARDED RLY. CROSSING	UNGUARDED RLY. CROSSING	DUAL CARRIAGE WAY ENDS	SPEED BREAKER	DANGEROUS DEEP

Road Signs

CONFIRMING TO IRC : 67 : 2010 STANDARD

MANDATORY




MANDATORY


ROAD SIGNS

STOP	STOP	NO ENTRY	← ONE WAY →	← ONE WAY →	VEHICLES PROHIBITED IN BOTH DIRECTIONS	DO NOT TOUCH	PROHIBITED	NOT FOR PEDESTRIAN
No Entry	Horn PROHIBITED	FORBIDDEN TO HEAVY	CYCLE PROHIBITED	PEDESTRIAN PROHIBITED	RIGHT TURN PROHIBITED	LEFT TURN PROHIBITED	U TURN PROHIBITED	OVERTAKING PROHIBITED
FORBIDDEN FOR TRANSPORT OF PRODUCTS	LOAD LIMIT	AXLE LOAD LIMIT	SPEED LIMIT	WIDTH LIMIT	HEIGHT LIMIT	HORN PROHIBITED	NO PARKING	NO STOPPING
RESTRICTION ENDS	COMPULSORY TURN LEFT	COMPULSORY AHEAD ONLY	COMPULSORY TURN RIGHY	COMPULSORY AHEAD TURN RIGHT	COMPULSORY OR TURN RIGHT	COMPULSORY KEEP LEFT	COMPULSORY CYCLE TRACK	COMPULSORY SOUND HORN


INFORMATORY SIGNS




INFORMATORY SIGNS



ADVANCE DIRECTION SIGN



DESTINATION SIGN



RE ASSURANCE SIGN



DIRECTION SIGN



PUBLIC TELEPHONE



PETROL PUMP



HOSPITAL



FIRST-AID POST



NO THROUGH SIDE ROAD



EATING PLACE



LIGHT REFRESHMENT



RESTING PLACE



NO THROUGH ROAD



CYCLE STAND



TAXI STAND



CYCLE RICKSHAW STAND



PARKING THIS SIDE



PARKING BOTH SIDE



SCOOTER & M. CYCLE STAND



AUTO RICKSHAW STAND




TAXI STAND



CAR STAND

Overhead | Information Signs

CONFIRMING TO IRC : 67 : 2010 STANDARD



Note : (1) Dimensions given above are not to scale (2) Many other traffic signs & accessories are also available which are to be used at constructions zone.

Specifications

Substrate :	2mm thick Aluminum Sheet with decreasing treatment & fine grinding on front side for proper pasting of Reflective sheet & decreasing treatment & stove enamel paint on backside.
Reflective Material	<ul style="list-style-type: none"> • Engineering Grade/Safety Grade • High Intensity Grade (Encapsulated) • High Intensity Prismatic (HIP) • Micro prismatic Lens type (Diamond Grade)
Symbols/ Messages/ Lettering/ Border :	Screen Printed/ Cut-outs.

Sizes of Signs

Signs	Shapes	Normal Size (mm)	Small Size (mm)
Mandatory			
i) Stop Sign	Octagonal	900	600
ii) Give way sign (Invented)	Equilateral triangle	900	600
iii) Others	Circular	600	400
Warning	Equilateral Triangle	900	600
Informatory	Rectangle	800 x 600	600 x 450

Glow in Dark Signs | General Signs

